



### **Hexa Precision Industries**

"House of Hydraulic Pumps, PTO's & Accessories"



### YOU HAVE A QUERY CONTACT US

Address: Plot No. C-40, Industrial Focal Point, Channalon, Kurali-140103 SAS Nagar (Near Chandigarh), Punjab, India.

Email: Info@hexaprecision.com Website: www.hexaprecision.com













### History

Hexa Precision was established in 2017 by a group of passionate professional to create a facility where innovative solutions could be manifested and executed. Team is highly experienced in providing complete solutions in the field of hydraulic tipping applications & power/torque transmitting products. Team Hexa is fully geared and equipped right from design, precision manufacturing and finally end-of-line testing in state-of-the-art facility where accuracy and precision in inculcated to each and every stakeholder in manufacturing and supply-chain. Hexa is continuing to expand its solutions, products, manufacturing capacity & capabilities to serve more and more customers not only in India but customers abroad as well.

### **Mission**

To serve our customers with high quality, reliable and durable products and solutions in hydraulic tipping applications and power/torque transmission. By fostering a culture of continual improvement and no compromises on quality, we aim to set the new standard for efficiency, reliability and durability at a sustainable pace.

### Vision

To provide our clients with the highest quality products that not only meet, but exceed their expectations. We aim to be leader in Tipping Hydraulics for providing "All Solutions Under One Roof". We strive to do so sustainably and ethically, with an empowered workforce and maximum efficient use of all materials. At Hexa, we believe that each of our products tell the story of our dedication to being the most reliable partner for everyone- for our clients and our teams.









SR.NO	PRODUCTS DISCRIPTION	PAGENO.
1	AX1T1 Series PTO's Assembly for TATA G1150 Gear Box	3
2	CX1T1 Series PTO'S Assembly for TATA G950 Gear Box.	4
3	GVOSM Series PTO'S Assembly for TATA G600, G750 Gear Box.	5
4	DBOB Series PTO'S Assembly for TATA GBS-40 Gear Box.	6
5	AX131 Series PTO'S Assembly for BharatBenz-G131 Gear Box.	7
6	DBOB131 Series PTO'S Loose Gear Assembly for BharatBenz-G131 Gear Box.	8
7	DBOB Series PTO'S Loose Gear Assembly for BharatBenz-G85 Gear Box.	9
8	DBOB Series PTO'S Assembly for ZF 6S36/6S850, 9S1110 Gear Box.	10
9	AX19S Series PTO'S Assembly for ZF 9S1110 Gear Box.	11
10	DBOB Series PTO'S Assembly for EATON 6209, 6306 & 10309 Gear box	12
11	TAC-4 Series PTO'S Assembly with 5cc Gear Pump for TATA Ace-Gold G-65 4 Speed Gear Box.	13
12	TAC-5 Series PTO'S Assembly with 5cc Gear Pump for TATA Ace-Intra G-65 5 Speed Gear Box.	14
13	ALD-5 Series PTO'S Assembly with 5cc Pump for Ashok Leyland- Dost RSB Gear Box.	15
14	HX Series Hydraulic Gear Pump ISO 3-Bolt BI-Rotational Type.	16-17
15	HX Series Hydraulic Gear Pump ISO 4-Bolt BI-Rotational Type.	18-19







### **PTO SELECTION MATRIX**

Gear Box Reference Matrix							
Sr.No	Gear Box Make	Gear Box Model	Reference Page				
		G1150	3 (AX1T1 Series)	3			
		G950	4 (CX1T1 Series)	4			
1		G750	E (C)(OSM Sories)	5			
	TATA	G600	5 (GVOSM Series)	5			
		GBS40	6 (DBOB) Series	6			
2	TATA	G65-4 Speed	13 (TAC-4 Series)	13			
2	ACE G65-5 Spee		14 (TAC-5 Series)	14			
3	<b>AE</b>	6S36/6S850	10 (DBOB Series)	10			
3		9S1110	11 (AX19S Series)	11			
		6209		12			
4	FAT • N	6306	12 (DBOB Series)	12			
		10309		12			
	BHARATBENZ	G131	7 (AX131 Series)	7			
5		G131	8 (DBOB131 Series)	8			
		G85	9 (DBOB Series)	9			
6	S ASHOK LEYLAND	RSB DOST	15 (ALD-5 Series)	15			
7	3 Bolt Pump	HCV Pump	HB 1 Series Pumps	16-17			
8	4 Bolt Pump	HCV Pump	HX 1 Series Pumps	18-19			







## AX1T1

**SERIES PTO'S ASSEMBLY** 

### FITMENT TRANSMISSION

**CONTRACT SPECIFICATION** 

**TATA** 

(G1150 Gear box)

-

AX1T1 SERIES PTO'S ASSEMBLY (SINGLE GEAR PTO'S)

**OPERATING TYPE:** 

PTO TYPE:

PNEUMATICS 6-8 BAR

MOUNTING TYPE:

**REAR MOUNTING** 

SPEED RPM:

1000 RPM OUTPUT

TORQUE:

900 NM

WEIGHT:

9.7KG

RATIO:

1:1



#### **■ PTO'S ITFM LIST**

	1 10 0 11 Em Eloi			
	Name	Nos.	Name	Nos.
•	AX1T1 PTO'S Assembly	0	Quill Shaft with Bearing Assembly	1
•	Mounting Flange 4X4 hole	0	Interface Plate	0
1	Mounting Flange OP Plate	0	Studs Kit	0





## CX1T1

**SERIES PTO'S ASSEMBLY** 

### FITMENT TRANSMISSION



Mounting Flange 4X4 hole

Email: Info@hexaprecision.com | Website: www.hexaprecision.com

Coupler Sleeve

Studs Kit

IN HERE

THERE'S A



## GV0SM

SERIES PTO'S ASSEMBLY

### FITMENT TRANSMISSION

**TATA G600, G750** 

(Helical/Spur)

### **CONTRACT SPECIFICATION**

PTO TYPE:

**GVOSM SERIES PTO'S ASSEMBLY** (DOUBLE GEAR PTO'S)

#### **OPERATING TYPE:**

PNEUMATICS 6-8 BAR

#### MOUNTING TYPE:

**REAR MOUNTING** 

#### SPEED RPM:

1040 RPM OUTPUT

#### TORQUE:

260 NM

#### WEIGHT:

10.5KG

#### RATIO:

1:1

### **■ PTO'S ITEM LIST**

#### Name Nos. **GVOSM PTO'S Assembly** (Helical/Spur)









## DBOB

SERIES PTO'S ASSEMBLY

### FITMENT TRANSMISSION

**TATA GBS-40** 

### **CONTRACT SPECIFICATION**

PTO TYPE:

**DBOB SERIES PTO'S ASSEMBLY** (DOUBLE GEAR PTO'S)

**OPERATING TYPE:** 

PNEUMATICS 6-8 BAR

MOUNTING TYPE:

**REAR MOUNTING** 

SPEED RPM:

1500 RPM OUTPUT

TORQUE:

280 NM

WEIGHT:

8.5KG

RATIO:

1:1.32

### **■ PTO'S ITEM LIST**

### Name Nos. **DBOB PTO'S Assembly** Mounting Flange 5x4 Studs Kit



THERE'S A



AX131

SERIES PTO'S ASSEMBLY

### FITMENT TRANSMISSION

**BharatBenz-G131** 

### **\*** TECHNICAL SPECIFICATION

PTO TYPE:

AX131 SERIES PTO'S ASSEMBLY (SINGLE GEAR PTO'S)

#### **OPERATING TYPE:**

PNEUMATICS 6-8 BAR

#### MOUNTING TYPE:

**REAR MOUNTING** 

### SPEED RPM:

1460 RPM OUTPUT

#### TORQUE:

900 NM

#### WEIGHT:

10.5KG

#### RATIO:

1:1

### **■ PTO'S ITEM LIST**

# Name Ax131 PTO'S Assembly with 8-H Flange. Quill Shaft Bearing Assembly Studs Kit







## DB0B131

**SERIES PTO'S LOOSE GEAR ASSEMBLY** 

### FITMENT TRANSMISSION

**BharatBenz-G131** 

### **\*** TECHNICAL SPECIFICATION

PTO TYPE:

DBOB131 SERIES PTO'S LOOSE GEAR ASSEMBLY

**OPERATING TYPE:** 

PNEUMATICS 6-8 BAR

MOUNTING TYPE:

**REAR MOUNTING** 

SPEED RPM:

1460 RPM OUTPUT

TORQUE:

280 NM

WEIGHT:

12.5KG

RATIO:

1:1.32

### **■ PTO'S ITEM LIST**

#### Name

Nos.

DBOB131 PTO'S Loose Gear Assembly With 8-H Flange.



Quill Shaft Bearing

Assembly











## DBOB

SERIES PTO'S LOOSE GEAR ASSEMBLY

### FITMENT TRANSMISSION

**BharatBenz-G85** 

### **♂** TECHNICAL SPECIFICATION

PTO TYPE:

DBOB SERIES PTO'S LOOSE
GEAR ASSEMBLY

**OPERATING TYPE:** 

PNEUMATICS 6-8 BAR

MOUNTING TYPE:

**REAR MOUNTING** 

SPEED RPM:

1460 RPM OUTPUT

TORQUE:

260 NM

WEIGHT:

8.5KG

RATIO:

1:1.32



#### Name

Nos.

Series PTO'S Loose Gear
Assembly with 6-H Flange













## DBOB

SERIES PTO'S ASSEMBLY

### FITMENT TRANSMISSION

**CONTRACT SPECIFICATION** 

PTO TYPE:

DBOB SERIES PTO'S ASSEMBLY (DOUBLE GEAR PTO'S)

**OPERATING TYPE:** 

PNEUMATICS 6-8 BAR

MOUNTING TYPE:

**REAR MOUNTING** 

SPEED RPM:

1500 RPM OUTPUT

TORQUE:

280 NM

WEIGHT:

8.5KG

RATIO:

1:1.32

### **■ PTO'S ITEM LIST**

### Nos. Name **DBOB PTO'S Assembly** Quill Shaft with Bearing Assembly Studs Kit

(6\$36/6\$850, 9S1110 Gear Boxl







AX 195

**SERIES PTO'S ASSEMBLY** 

### FITMENT TRANSMISSION

**TECHNICAL SPECIFICATION** 

( ZF-9S1110 Gear Box)

PTO TYPE:

**AX19S SERIES PTO'S ASSEMBLY** (SINGLE GEAR PTO'S)

**OPERATING TYPE:** 

PNEUMATICS 6-8 BAR

MOUNTING TYPE:

**REAR MOUNTING** 

SPEED RPM:

1000 RPM OUTPUT

TORQUE:

900 NM

WEIGHT:

6.7KG

RATIO:

1:1

### **■ PTO'S ITEM LIST**

### Name Nos. AX19S PTO'S Assembly Quill Shaft with Bearing Assembly













**SERIES PTO'S ASSEMBLY** 

### FITMENT TRANSMISSION

(6209, 6306 & 10309 Gear Box)

**TECHNICAL SPECIFICATION** 

**EATON** 

PTO TYPE:

DBOB SERIES PTO'S ASSEMBLY (DOUBLE GEAR PTO'S)

**OPERATING TYPE:** 

PNEUMATICS 6-8 BAR

MOUNTING TYPE:

**REAR MOUNTING** 

SPEED RPM:

1500 RPM OUTPUT

TORQUE:

280 NM

WEIGHT:

10.5KG

RATIO:

1:1.32

### **■ PTO'S ITEM LIST**

FIUSIIEM LISI	
Name	Nos.
DBOB PTO'S Assembly with DC Flange	0
Studs Kit	4













TAG-4

SERIES PTO'S ASSEMBLY WITH 5cc GEAR PUMP

### FITMENT TRANSMISSION

**CONTRACT SPECIFICATION** 

**TATA ACE - GOLD** 

(G-65 4 Speed Gear Box)

PTO TYPE:

TAC-4 SERIES PTO'S ASSEMBLY WITH 5cc GEAR PUMP

OPERATING TYPE:

MECHANICAL PUSH-PULL TYPE

MOUNTING TYPE:

SIDE MOUNTING

SPEED RPM:

2000 RPM OUTPUT

TORQUE:

37 NM

WEIGHT:

4.5KG

RATIO:

1:4

### **■ PTO'S ITEM LIST**

### Nos. Name TAC 4 PTO'S Assembly with 5cc Gear Pump Pull-Push Cable

Studs Kit



Email: Info@hexaprecision.com | Website: www.hexaprecision.com

THERE'S A





TAG-5

SERIES PTO'S ASSEMBLY WITH 5cc GEAR PUMP

### FITMENT TRANSMISSION

**\*** TECHNICAL SPECIFICATION

TATA ACE - INTRA

(G-65 5 Speed Gear Box)

PTO TYPE:

TAC-5 SERIES PTO'S ASSEMBLY
WITH 5 cc GEAR PUMP

OPERATING TYPE:

MECHANICAL PUSH-PULL TYPE

MOUNTING TYPE:

SIDE MOUNTING

SPEED RPM:

2000 RPM OUTPUT

TORQUE:

37 NM

WEIGHT:

5.6KG

RATIO:

1:4

### **■ PTO'S ITEM LIST**

## Name TAC 5 PTO'S Assembly with 5cc Gear Pump Pull-Push Cable







## ALD-5

SERIES PTO'S ASSEMBLY WITH 5cc/8cc GEAR PUMP

### FITMENT TRANSMISSION

**ASHOK LEYLAND-DOST** 

(RSB Gear Box)

### **CONTRACT SPECIFICATION**

PTO TYPE:

ALD-5 SERIES PTO'S ASSEMBLY
WITH 5cc GEAR PUMP

OPERATING TYPE:

MECHANICAL PUSH-PULL TYPE

MOUNTING TYPE:

SIDE MOUNTING

SPEED RPM:

**600 RPM OUTPUT** 

TORQUE:

100 NM

WEIGHT:

5.5KG

RATIO:

1:74

### **■ PTO'S ITEM LIST**

Studs Kit

## Name ALD-5 PTO'S Assembly with 5cc Gear Pump Pull-Push Cable





## HIGH PERFORMANCE COMPACT DESIGN





HX SERIES HYDRAULIC GEAR PUMP ISO 3-BOLT BI ROTATIONAL TYPE





Ultimate power and performance in a compact design of HX Series hydraulic gear pumps,
The heavy duty bush bearing giving High rigidity
& providing both long life and high performance.





### **KEY FEATURES**

- 2 Standard sizes
- Compact design
- Pressure up to 250 bar
- Speed up to 2400 RPM
- Shaft 21 UNI 222 (5x21x25)
- Low noise level
- G1" BSP Ports

- Dowel pin design
- Maximum Efficiency
- Stringent Quality Testing

### **PUMP SPECIFICATIONS**

Model	Mounting Flange	Displaceme nt (cc)	RPM Min./ Max.	Continuous RPM	Max Working Pressure (BAR)	Ports Inlet/ Outlet	Inlet Vaccum (Bar)	Weight (KG)
HX3BP45	UNI 3-BOLT	45cc	600/2400	1500	190	G1" BSP	0.7- 3.0 bar	8.8 KG
HX3BP60	UNI 3-BOLT	60cc	600/2400	1500	190	G1" BSP	0.7- 3.0 bar	11.9 KG
HX3BP82	UNI 3-BOLT	82cc	600/2400	1500	190	G1" BSP	0.7- 3.0 bar	12.5 KG

### MODEL NUMBER CONSTRUCTION-HB1 3 45 2 BD

HB1	3	45	2	BD
Series Code	Mounting Flange	Displacement @1000RPM	2 - Side Ports 3 - Rear Ports	Rotation Type BD - BI Directional







## HIGH PERFORMANCE COMPACT DESIGN



HX SERIES HYDRAULIC GEAR PUMP ISO 4-BOLT BI ROTATIONAL TYPE






### **Output Option:**

Rear Port
 Side Port
 4 Ports

Ultimate power and performance in a compact design of HX Series hydraulic gear pumps,

The heavy duty taper rollers bearing giving High rigidity & providing both long life and high performance.



### **KEY FEATURES**

- 2 Standard sizes
- Compact design
- Pressure up to 250 bar
- Speed up to 2400 RPM
- Shaft DIN 5462 (8x32x36)
- Low noise level
- G1" BSP Ports

- Dowel pin design
- Maximum Efficiency
- Stringent Quality Testing

### **PUMP SPECIFICATIONS**

Model	Mounting Flange	Displaceme nt (cc)	RPM Min./ Max.	Continuous RPM	Max Working Pressure (BAR)	Ports Inlet/ Outlet	Inlet Vaccum (Bar)	Weight (KG)
HX4BP48	ISO 4-BOLT	48cc	600/2400	1500	190	G1" BSP	0.7- 3.0 bar	11.8 KG
HX4BP65	ISO 4- BOLT	65cc	600/2400	1500	190	G1" BSP	0.7-3.0 bar	14.5 KG
HX4BP82	ISO 4-BOLT	82cc	600/2400	2000	200	G1" BSP	0.7- 3.0 bar	16.5 KG
НХ4ВР90	ISO 4-BOLT	90сс	600/2400	2000	200	G1" BSP	0.7- 3.0 bar	17.3 KG

### MODEL NUMBER CONSTRUCTION-HX1 4 48 2 BD

HX1	4	48	2	BD
Series Code	Mounting Flange	Displacement @1000RPM	2 - Side Ports 4 - Side & Rear (4-ports) 6 - Rear Port	Rotation Type BD - BI Directional









































